

AXOR Starck X
Single lever bath mixer for concealed installation
 Surfaces: **Chrome** Article Number: **10445000**



Description


product features

- connection type: basic set
- ceramic cartridge
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- temperature limitation adjustable
- with automatic resetting
- non-return valve
- with silencer
- suitable for continuous flow water heaters
- PA-IX 9709/ICC
- DVGW NW-6506CQ0125
- ETA VA 1.42/18751
- ACS 19 ACC NY 249, valide jusqu'au 01.08.2024
- WRAS 1903005
- JWWA E-382
- Kiwa K6161_Mechanical Mixers EN817
- SVGW 0411-4903
- SINTEF 1426

Product image




Scale drawing



AXOR Starck X
Single lever bath mixer for concealed installation
 Surfaces: **Chrome** Article Number: **10445000**



Flowchart




AXOR Starck X
Single lever bath mixer for concealed installation
 Surfaces: **Chrome** Article Number: **10445000**



Exploded Drawing

Year of production: >08/12



AXOR Starck X
Single lever bath mixer for concealed installation
 Surfaces: **Chrome** Article Number: **10445000**



Spare part list

Year of production: >08/12

Pos.	Description	Article Number	PC	PU
1	handle	10490000	14	1
2	screw cover	96338000	1	1
3	diverter knob cpl.	96934000	10	1
4	escutcheon height = 33 mm (when wall is not deep enough).	14967000	98	1
5	escutcheon	97924000	11	1
6	O-Ring 48x3	95508000	1	1
7	O-ring 29x3	98371000	2	1
8	flange (Rotating Protector)	96395000	9	1
9	sleeve	96448000	9	1
10	holder for escutcheon	98793000	9	1
11	set of fixing screws	96454000	3	1
12	nut	96461000	8	1
13	sleeve	95980000	12	1
14	cartridge, assy	92730000	11	1
15	locking screw for handle	95140000	2	1
16	seal	95008000	3	1
17	set of screws	96525000	3	1
18	selector assy	95014000	11	1
19	O-ring 17x2	98199000	1	1
20	O-ring 20x2,5	92602000	2	1
21	O-ring 21x2	98205000	2	1
22	O-ring 13x2	98128000	1	1
23	noise reduction	94073000	7	1
24	extension 25 mm	13595000	98	1
25	set of fixing screws	97747000	1	1
26	extension 22 mm	97407000	98	1
a	spring for exchanged connections	96365000	9	1
b	hollow set screw M4x10	97667000	1	1
c	concealed item	01800180	98	1