

Talis Classic
Single lever shower mixer for concealed installation
 Surfaces: **Chrome** Article Number: **14165000**



Description


product features

- 1 outlet
- connection type: basic set
- ceramic cartridge
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- temperature limitation adjustable
- DVGW NW-6506CQ0125
- ETA VA 1.42/18751
- ACS 19 ACC LY 233, valide jusqu'au 09.12.2023
- WRAS 1905003
- SVGW 0411-4903
- SINTEF 1426


Product image



Scale drawing



Flowchart




Talis Classic
Single lever shower mixer for concealed installation
 Surfaces: **Chrome** Article Number: **14165000**



Exploded Drawing

Year of production: >01/17



Talis Classic
Single lever shower mixer for concealed installation
 Surfaces: **Chrome** Article Number: **14165000**



Spare part list

Year of production: >01/17

Pos.	Description	Article Number	PC	PU
1	handle	14193000	8	1
2	screw cover	96338000	1	1
3	escutcheon Ø 150 mm	98792000	11	1
4	O-ring 43x3	98418000	1	1
5	sleeve	98790000	8	1
6	holder for escutcheon	98793000	9	1
7	set of fixing screws	96454000	3	1
8	nut	98796000	9	1
9	O-ring 30x1,5	98433000	1	1
10	O-ring 39x1,5	98400000	1	1
11	cartridge, assy	92730000	11	1
12	locking screw for handle	96059000	3	1
13	seal	95008000	3	1
14	set of screws	96525000	3	1
15	O-ring 16x2	98133000	1	1
16	noise reduction	94073000	7	1
17	extension 25 mm	13595000	98	1
18	set of fixing screws	97747000	1	1
19	extension 22 mm (Ø 150 mm)	13597000	98	1
a	concealed item	01800180	98	1
b	adapter for exchanged connections	93181000	18	1
c	fixation set	96615000	98	1